

Export - Fast Facts

Enhancements to Offline Prints:

This *online* feature allows *offline* exporting of search results with a variety of display and delivery formats. Emailed results will include the title and total number of records in the subject line. The body of the email will contain links to the results in zipped and unzipped formats. The maximum number of records for emailed results has been increased to 1,000. The maximum number of exported offline prints delivered by postal mail is 5,000. Exported results are processed every thirty minutes.

- _ Easy Mode - Step by step menu prompts
- _ Expert Mode - System commands

More Delivery Formats:

- _ Choose from a new selection of delivery formats:
PDF, XML, RTF and TXT

More Layouts:

- _ Choose from a new selection of Page Styles (Layouts):
 - 1 - Fields Tags and without Page Breaks (Default Page Style)
 - 2 - Fields Tags and with Page Breaks
 - 3 - Full Field Names, Indented Text and without Page Breaks
 - 4 - Full Field Names, Indented Text and with Page Breaks
 - 5 - Report (Available on selected databases)
 - 6 - Report - Merged Family (PlusPat only)
 - 7 - Trademark Table (FRTM only)

More Features:

- _ Include display add-ons LEGAL, CITE and FULLCLMS. Use the Plus Feature to include fields/formats from other databases in exported results
- _ In PlusPat, export MFAMSTAT or MFAMSTATE for Patent Family Legal Status

More Email Addresses:

- _ Add up to six email addresses to any offline print result set.

Easy Export: Step by Step

Step 1: Check Your Mail and Email Address.

Update Permanent Mail Address, by entering:
ad

PERMANENT ADDRESS
MYCOMPANY INC
TECHNICAL LIBRARY
JANE E. SMITH
123 MAIN ST
ANYWHEREVILLE, NY 11000
UNITED STATES OF AMERICA
Change this address: Y / N

y

Enter your postal address under the following
Seven headings :
1 Organization;2 Dept;3 Name;4 Street; 5
Optional Info;6 Postal / Zip Code, City &
Province / State;7 Country

Step 3: Enter: Export (and follow the menu prompts)

?export

Enter the search statement number to be used for print:
(Pressing "Enter" will default to the last SS with results)
?1

Enter Delivery type, postal or email:
(Pressing 'Enter' will default to postal/mail delivery)
?email

Enter E-Mail address(es):
(Up to 6 addresses, each on a separate line when prompted)(Pressing "Enter" defaults
ONLY to permanent email address)
?client@company.com

Enter Delivery format (TXT or RTF or PDF or XML):
(RTF or PDF or XML is required for images)
(Pressing 'Enter' will default to TXT delivery format)
?rtf

Enter only Format/Field(s) with LEGAL/FULLCLMS/CITE display options, e.g.: MAX LEGAL
or ABST FULLCLMS.
(Pressing 'Enter' will default to MAX format)
?abst legal

Print images ? : Yes / No
?y

Enter a Title, to identify print and display with results:
(3 lines max, up to 60 characters per line)
(Pressing 'Enter' will default to no title)
Please note: The title will appear in the subject line of your emailed results.

?Docket Number ABC-123

Check / Update Permanent Email Address, by
entering:

set email

E-Mail address :
jsmith-techlib@mycompany.com

Change of E-Mail address : YES/NO

y

Step 2: Select File and Create Strategy

File : PLUSPAT

SS Results
1 988 /PA DYSON+

Enter a Number corresponding to following Page Styles :

- 1 - Fields Tags and without Page Breaks (Default Page Style)
- 2 - Fields Tags and with Page Breaks
- 3 - Full Field Names, Indented Text and without Page Breaks
- 4 - Full Field Names, Indented Text and with Page Breaks
- 5 - Report (Available on selected databases)
- 6 - Report - Merged Family (PlusPat only)
- 7 - Trademark Table (FRTM only)

?5

Sort results by field(s) : (e.g. /PA)

(Up to 3 fields for simultaneous sorting, e.g. /PA/PCL/PD)

(Press "Enter" if no specified field sorting is required)

? /ec

Offline print of results in SS: 1

Number of documents: 988

Confirm: Y / N

?Y

Exporting Results, Expert Mode:

To combine EXPORT parameters separate them with ; (semi-colon). The order is:

EXPORT <N-N> <EMAIL> <DELIVERY FORMAT> <PSET #>;<DISPLAY FORMAT> ; TI <TITLE>LINE 1! LINE2!LINE 3; <SO>/<FIELD>;

If you do not want to use an option, simply omit it from the parameter syntax.

- Emailing to an address that is not the stored email address:
EXPORT <N-N> EMAIL; SET
Please note: SET indicates the email address to be entered, and not the range of records. SET must be last in the parameter syntax.
- To specify a PSET (Page Style) in the EXPORT:
EXPORT <N-N> EMAIL <DELIVERY FORMAT> <PSET N>
Please note: Not all pages styles are available for every database. PSETS 5 – 7 are database specific.
- To give the EXPORT a title:
EXPORT <N-N> EMAIL; TI <TITLE>
- To receive EXPORTs in RTF, PDF or XML format:
EXPORT <N-N> EMAIL RTF
EXPORT <N-N> EMAIL PDF
EXPORT <N-N> EMAIL XML
Please note: The default file format is TXT.
- To EXPORT in a specified format:
EXPORT <N-N> EMAIL; PR <format>
Please note: The default format is MAX
- To include images in EXPORT:
EXPORT <N-N> EMAIL RTF; PR IMG
Please note: You must request RTF, PDF or XML if you request images.
- To sort EXPORT results:
EXPORT <N-N>; SORT /<field>
Please note: Up to three fields may be sorted.

Checklist for EXPORT Feature:

Administering Export requests:

When you confirm your export request, a PR number is given, e.g. PR 1

```
Offline print of results in SS:  1
      Number of documents:      20
      Confirm: Y / N
y
      Print number: PR1
```

PR numbers are started over from PR 1 again each day for each user

Cancelling [Erasing] an Export request:

Export requests are processed every thirty minutes. To cancel an export request, you must do so **immediately** to avoid the export request being processed before the receipt of the ERase request. Use the **ER** or **ERASE** command with the relevant PR number

```
er pr1
      Cancel PR1 Confirm: Y / N
Y
```

Entering Y to confirms the instruction to cancel the Export.

Costs associated with Export Feature:

Cost of Records:

Offline print prices are the same prices as for online displays in most files. Offline prints are higher than online display prices for: **DWPI / WPAT/ WPIL/ DWPX, WPAM and BIOT.**

Cost Estimation:

The cost of Offline results requested with EXPORT feature will not be included in online cost estimate. If you bill back before receiving monthly invoice, remember to add the cost of offline prints to the online cost estimate. Offline print costs are available in under Prices & Contracts on the Questel-Orbit website www.questel.orbit.com.

Family Search Results with Export Feature:

For INPADOC: Instead of FAMSTAT/E or FAMLIST/E Use: PRT MAX LEGAL
For PlusPat: Instead of FAMSTAT/E or FAMLIST/E Use: MFAMSTATE w default PageStyle

Not yet available with the Export Feature:

- Cluster searching: ID, PATGR, NODUP, FIRST, FROM [filename] etc.
- KWIC, FAMSTAT/E , FAMLIST/E, FAMCITE

Customize the look of exported records:

1. Display Formats

- **System Defined Formats:**
STDR, BIB, ABST, MAX, FULL, MINI, MABS
- **User Defined Formats:**
FOR, MYEXPORT, PN, PA, AB, IMG
- **Custom Formats:**
TI, PA, PN, AB, IMG
- **Display Add-on Options:**
LEGAL, FULLCLMS, FULLTEXT, CITE

2. Delivery Formats

- **PDF - Portable Document Format**
Easy to display & print with Adobe Acrobat.
Text & images.
- **RTF - Rich Text Format**
Easy to open & edit with MS Word.
Text & images.
- **TXT - Text Format**
Easy to open & edit with basic WP program.
Text only.
- **XML - Extensible Markup Language**
Import to a variety of applications.

3. Page Style Formats

Page Style 1 - Field tags without page breaks

Page Style 2 - Field tags with page breaks

```
1/1 PLUSPAT - (C) QUESTEL-ORBIT
PN - US6329919 B1 20011211 [US6329919]
TI - System and method for providing reservations for restroom use
PA - (B1) IBM (US)
IN - (B1) MOSKOWITZ PAUL ANDREW (US); YU PHILLIP SHI-
AP - US63925400 20000814 [2000US-0639254]
PR - US63925400 20000814 [2000US-0639254]
STG - (B1) U.S. Patent (no pre-grant pub.) after Jan. 2, 2001
AB - The present invention is an apparatus, system, and method for
providing reservations for restroom use. In one embodiment, ....
```

Page Style 3 - Full field names without page breaks

Page Style 4 - Full field names with page breaks

```
1/1 PLUSPAT - (C) QUESTEL-ORBIT
Patent Number:
- US6329919 B1 20011211 [US6329919]
Title:
- (B1) System and method for providing reservations for restroom use
Patent Assignee:
- (B1) IBM (US)
Inventor(s):
- (B1) MOSKOWITZ PAUL ANDREW (US); YU PHILLIP SHI-
Application Nbr:
- US63925400 20000814 [2000US-0639254]
Priority Details:
- US63925400 20000814 [2000US-0639254]
Publication Stage:
- (B1) U.S. Patent (no pre-grant pub.) after Jan. 2, 2001
Abstract:
- The present invention is an apparatus, system, and method for
providing reservations for restroom use. In one embodiment,...
```

Top	Item	Next
---------------------	----------------------	----------------------

DATA HIDING METHOD AND DATA EXTRACTING METHOD

EP-935392

<ul style="list-style-type: none"> · <u>Patent Assignee</u> Ibm Japan Ltd. INTERNATIONAL BUSINESS MACHINES CORPORATION · <u>Inventor</u> MORIMOTO, Norishige, IBM Japan Ltd.; MAEDA, Junji, IBM Japan Ltd. · <u>International Patent Classification</u> H04N-007/08 · <u>Language</u> ENGLISH (ENG) 	<ul style="list-style-type: none"> · <u>Publication Information</u> EP0935392 A1 19990811 [EP-935392] WO9817061 - 19980423 [WO9817061] · <u>Priority Details</u> JP27272196 19961015 [1996JP-0272721] · <u>Application Details</u> EP97902687 19970213 [1997EP-0902687] WOJP9700396 19970213 [1997WO-JP00396] · <u>Designed States</u> AT BE CH DE ES FR GB IT LI NL SE
---	---

· Abstract :

[OBJECT]

An objective of the present invention is to provide a method for embedding additional information into a video movie without substantially having an influence on the compression efficiency of the video movie and also without substantially causing degradation of the picture quality.

[CONSTITUTION]

Specify at least one embedding region in the frame of the video movie for embedding information, and determine a type of interframe prediction of the embedding region in correspondence with information to be embedded by referring to an embedding rule where a content of data to be embedded is caused to correspond to the type of interframe prediction of the embedding region.

It is desirable that the frame in which the embedding region exists is a bidirectionally predictive-coded frame.




FIG. 3


Top	Item	Previous	Next
---------------------	----------------------	--------------------------	----------------------

(A1) A FILTER ASSEMBLY

EP1239760

<ul style="list-style-type: none"> · Patent Assignee (A1) DYSON LTD (GB) · Inventor (A1) STORER MARK PETER (GB) · International Patent Classification (A1) A47L-009/10 · European Patent Classification A47L-009/12 B01D-046/24F · US Patent Classification 015347000 055DIG003 055485000 055486000 055504000 096058000 	<ul style="list-style-type: none"> · Publication Information EP1239760 A1 20020918 [EP1239760] EP1239760 B1 20031022 [EP1239760] AT252340 T 20031115 [ATE252340] AU6708700 A 20010703 [AU200067087] AU765039 B2 20030904 [AU-765039] CN1413096 T 20030423 [CN1413096] DE60006155 D1 20031127 [DE60006155] GB0009660 D0 20000607 [GB200009660] GB2349105 A 20001025 [GB2349105] GB2349105 B 20021224 [GB2349105] GB9909225 D0 19990616 [GB9909225] GB9920346 D0 19991103 [GB9920346] GB9930333 D0 20000209 [GB9930333] JP2003517862 T 20030603 [JP2003517862] US6709495 B1 20040323 [US6709495] WO200145545 A1 20010628 [WO200145545] · Priority Details 1999GB-0009225 19990423 1999GB-0020346 19990831 1999GB-0030333 19991222 2000WO-GB03212 20000821 · Application Details 2002US-0168950 20020624 2000DE-6006155 20000821 2000AT-0954728 20000821 2001JP-0546289 20000821 2000CN-0817650 20000821 2000EP-0954728 20000821 2000AU-0067087 20000821 2000WO-GB03212 20000821 2000GB-0009660 20000420 1999GB-0030333 19991222 1999GB-0020346 19990831 1999GB-0009225 19990423
---	---

· **Abstract:**
The invention provides a filter assembly for use in a vacuum cleaner having a first filter portion that includes a foam filter, and a second filter portion located downstream of the first filter portion and containing a HEPA grade filter medium, the first and second filter portions being held directly adjacent one another. The first filter portion also includes an electrostatic filter located on a side of the foam filter facing the second filter portion. The foam filter of the first filter portion is, in use, exposed directly to a dust-laden airflow. The provision of the electrostatic filter on the foam filter eliminates the possibility of dust initially retained by but later released from the foam filter



Page Style 7 - Trademark Table (FRTM only)

FILE: FRTM

French Trademarks from 1976
 INPI source: private service different from the legal publication service
 based on a distribution licence agreement with INPI
 last BOPI available: 2004-25 of 18-06-2004, applications until
 04-06-2004. Database Modifications, see INFO INPI

PROFILE: P0000079

PRINT PARAMETERS

Number of documents printed: 125

SEARCH STRATEGY

SS Results

3 125 ELF ANTAR+/OWN



24/06/04

4

15*16*01

NUMERO	MARQUES FRANCAISES	CLASSES
FR 1624613	FDX 4S	CL01; CL04
FR 1584005	SELYBDENE	CL04
FR 1562226	MONAGAZ	CL04
FR 1554836	ANTELIA	CL04
FR 1550556	FLORGAZ	CL04; CL11
FR 1550555	NERVOGAZ	CL04; CL11
FR 1550554	THERMOGAZ	CL04; CL11
FR 1544995	PETROLYS	CL04
FR 1535328	SOGATHERM	CL11
FR 1521731	ELF TURBO	CL04
FR 1510377		CL04
FR 1488806	AZ ANTARGAZ	CL04; CL11
FR 1582845	ANTAR	CL01; CL02; CL03; CL04; CL05; CL06; CL07; CL08; CL09; CL11; CL19; CL20; CL21; CL29
FR 1451580	RELAIS	CL01; CL04
FR 1451579	CAPITOL	CL01; CL04
FR 1451570	MACADAM MUSIC	CL09
FR 1451569	ANTAR GRAPHITE	CL04
FR 1451567	SYLANTAR	CL04
FR 1451566	TRANSANTAR	CL04
FR 1451565	RADIA-ANTAR	CL01
FR 1445087	ANTAR AGRIAMOTEUR	CL04
FR 1445086	ANTAR TRANSAGRIA	CL04
FR 1444773	BUTAMATIC	CL04
FR 1444772	PROPAMATIC	CL01; CL04; CL39; CL40; CL42
FR 1444750	AXA	CL04
FR 1444749	PERL	CL04
FR 1444748	JAL	CL04
FR 1444747	CLAR	CL04
FR 1444746	ANTAR GMO	CL04
FR 1433990	CLUB	CL01; CL04
FR 1433845	ENERGIE FUEL	CL04; CL11; CL37; CL42
FR 1429880	DOPAL	CL03; CL04
FR 1433220	CYPSEL	CL01; CL04
FR 1426066	SOGAL	CL06; CL08; CL09; CL11; CL37
FR 1424087	SESAME	CL35
FR 1421353	DELFE	CL09
FR 1421352	DELFIT	CL09
FR 1416127	SAMOGAZ	CL04; CL06
FR 1415451	MACADAM	CL09
FR 1393584	LUBRIDOR	CL01; CL02; CL03; CL04
FR 1387188	AGRIA	CL04
FR 1378106	ENERGIE FUEL	CL04; CL11; CL37; CL42
FR 1335415	HYGLISS	CL04
FR 1323854	LE MAG	CL01; CL03; CL04; CL12; CL25; CL28; CL29; CL30; CL32; CL37; CL42
FR 1315057	ANTAR MOLYGRAPHITE	CL04
FR 1310372	J.DE VIENNE	CL04; CL07; CL09; CL12
FR 1309962	BRIO	CL01; CL04; CL35; CL37; CL39; CL42
FR 1306413	J.DE VIENNE	CL04; CL07; CL09; CL12
FR 1304418	LACT ANTAR	CL04
FR 1292090	MILANTAR	CL04
FR 1282036	SUPPORT +	CL01
FR 1282035	JARDIPRO	CL01
FR 1282033	HORTIPRO	CL01